

Page: 1

Compilation date: 01/05/2009

**Revision date: 11/05/2015** 

Revision No: 5

# Section 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product name: 2WORK SCRUBBER DRYER DETERGENT LOW FOAM

Product code: 2W00977

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of substance / mixture: PC35: Washing and cleaning products (including solvent based products).

#### 1.3. Details of the supplier of the safety data sheet

Company name: VOW EUROPE LTD

K HOUSE **EUROPA LINK** 

SHEFFIELD BUSINESS PARK

SHEFFIELD S9 1XU

Tel: 0844 980 8000

Email: WWW.VOWEUROPE.COM

# 1.4. Emergency telephone number

Emergency tel: NHS Direct 08454647

NHS24 0845242424

ROI 018092166

(office hours only)

# **Section 2: Hazards identification**

# 2.1. Classification of the substance or mixture

Classification under CLP: Skin Corr. 1A: H314

Classification under CHIP: C: R34

Most important adverse effects: Causes severe skin burns and eye damage.

# 2.2. Label elements

Label elements under CLP:

Hazard statements: H314: Causes severe skin burns and eye damage.

Signal words: Danger

#### 2WORK SCRUBBER DRYER DETERGENT LOW FOAM

Page: 2

Hazard pictograms: GHS05: Corrosion



Precautionary statements: P102: Keep out of reach of children.

P282: Wear eye protection.
P280: Wear protective gloves.

P264: Wash hands thoroughly after handling.

P305+351+338: IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing. P337+313: If eye irritation persists: Get medical attention.

P303+361+353: IF ON SKIN (or hair): Remove immediately all contaminated clothing. Rinse

skin with water.

P332+313: If skin irritation occurs: Get medical attention.

P405: Store locked up.

#### 2.3. Other hazards

PBT: This product is not identified as a PBT/vPvB substance.

# Section 3: Composition/information on ingredients

# 3.2. Mixtures

#### **Hazardous ingredients:**

# SODIUM HYDROXIDE

EINECS	CAS	CHIP Classification	CLP Classification	Percent
215-185-5	1310-73-2	-	Skin Corr. 1A: H314	1-10%

# C9/11 A, >3-6 EO PREDOMINANTLY LINEAR (DID 21)

POLYMER 160875-66-1 - Eye Dam. 1: H318
--

# ISOTRIDECANOLETHOXYLATE, POLYMER(8 MOLE EO AVERAGE)

		-	69011-36-5	_	Acute Tox. 4: H302; Eye Dam. 1: H318	1-10%
--	--	---	------------	---	--------------------------------------	-------

# Section 4: First aid measures

# 4.1. Description of first aid measures

**Skin contact:** Remove all contaminated clothes and footwear immediately unless stuck to skin. Drench the

affected skin with running water for 10 minutes or longer if substance is still on skin. Transfer

to hospital if there are burns or symptoms of poisoning.

Eye contact: Bathe the eye with running water for 15 minutes. Transfer to hospital for specialist

examination.

Ingestion: Wash out mouth with water. Do not induce vomiting. Give 1 cup of water to drink every 10

minutes. If unconscious, check for breathing and apply artificial respiration if necessary. If

#### 2WORK SCRUBBER DRYER DETERGENT LOW FOAM

Page: 3

unconscious and breathing is OK, place in the recovery position. Transfer to hospital as soon as possible.

Inhalation: Remove casualty from exposure ensuring one's own safety whilst doing so. If unconscious

and breathing is OK, place in the recovery position. If conscious, ensure the casualty sits or lies down. If breathing becomes bubbly, have the casualty sit and provide oxygen if available.

Transfer to hospital as soon as possible.

#### 4.2. Most important symptoms and effects, both acute and delayed

Skin contact: Blistering may occur. Progressive ulceration will occur if treatment is not immediate.

**Eye contact:** Corneal burns may occur. May cause permanent damage.

Ingestion: Corrosive burns may appear around the lips. Blood may be vomited. There may be bleeding

from the mouth or nose.

**Inhalation:** There may be shortness of breath with a burning sensation in the throat. Exposure may

cause coughing or wheezing.

Delayed / immediate effects: Immediate effects can be expected after short-term exposure.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Immediate / special treatment: Eye bathing equipment should be available on the premises.

#### Section 5: Fire-fighting measures

#### 5.1. Extinguishing media

**Extinguishing media:** Suitable extinguishing media for the surrounding fire should be used. Use water spray to cool

containers.

# 5.2. Special hazards arising from the substance or mixture

Exposure hazards: Corrosive. In combustion emits toxic fumes of carbon dioxide / carbon monoxide.

#### 5.3. Advice for fire-fighters

Advice for fire-fighters: Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with

skin and eyes.

#### Section 6: Accidental release measures

# 6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions: Notify the police and fire brigade immediately. Mark out the contaminated area with signs and

prevent access to unauthorised personnel. Do not attempt to take action without suitable protective clothing - see section 8 of SDS. Turn leaking containers leak-side up to prevent the

escape of liquid.

# 6.2. Environmental precautions

**Environmental precautions:** Do not discharge into drains or rivers. Contain the spillage using bunding.

# 6.3. Methods and material for containment and cleaning up

Clean-up procedures: Clean-up should be dealt with only by qualified personnel familiar with the specific substance.

Transfer to a suitable container. Neutralise with dilute hydrochloric acid.

#### 2WORK SCRUBBER DRYER DETERGENT LOW FOAM

Page: 4

#### 6.4. Reference to other sections

Reference to other sections: Refer to section 8 of SDS.

#### Section 7: Handling and storage

#### 7.1. Precautions for safe handling

Handling requirements: Avoid direct contact with the substance. Avoid the formation or spread of mists in the air.

#### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions: Keep container tightly closed.Suitable packaging: Polyethylene. Stainless steel.

#### 7.3. Specific end use(s)

Specific end use(s): No data available.

# Section 8: Exposure controls/personal protection

# 8.1. Control parameters

#### **Hazardous ingredients:**

# **SODIUM HYDROXIDE**

#### Workplace exposure limits:

#### Respirable dust

State	8 hour TWA	15 min. STEL	8 hour TWA	15 min. STEL
UK	-	2 mg/m3	-	-

#### **DNEL/PNEC Values**

**DNEL / PNEC** No data available.

#### 8.2. Exposure controls

Hand protection: Impermeable gloves. Gloves (alkali-resistant).

**Eye protection:** Tightly fitting safety goggles. Ensure eye bath is to hand.

Skin protection: Alkali resistant protective clothing.

# Section 9: Physical and chemical properties

# 9.1. Information on basic physical and chemical properties

State: Liquid

Colour: Off-white

Odour: Characteristic odour

Evaporation rate: Moderate

Oxidising: Non-oxidising (by EC criteria)

Solubility in water: Soluble

Viscosity: Non-viscous

Boiling point/range°C: 100 Melting point/range°C: 0

Flammability limits %: lower: Not applicable. upper: Not applicable.

Flash point°C: Not applicable. [cont...]

#### 2WORK SCRUBBER DRYER DETERGENT LOW FOAM

Page: 5

Part.coeff. n-octanol/water: Not applicable.

Autoflammability°C: Not applicable.

**Vapour pressure:** Not applicable.

**Relative density:** 1.05 - 1.15 **pH:** 13.5

VOC g/I: 0

# 9.2. Other information

Other information: No data available.

# Section 10: Stability and reactivity

# 10.1. Reactivity

Reactivity: Stable under recommended transport or storage conditions.

# 10.2. Chemical stability

Chemical stability: Stable under normal conditions.

# 10.3. Possibility of hazardous reactions

Hazardous reactions: Hazardous reactions will not occur under normal transport or storage conditions.

#### 10.4. Conditions to avoid

# 10.5. Incompatible materials

# 10.6. Hazardous decomposition products

Haz. decomp. products: In combustion emits toxic fumes of carbon dioxide.

# **Section 11: Toxicological information**

# 11.1. Information on toxicological effects

# Hazardous ingredients:

#### **SODIUM HYDROXIDE**

IPR	MUS	LD50	40	mg/kg
ORL	RBT	LDLO	500	mg/kg

# C9/11 A, >3-6 EO PREDOMINANTLY LINEAR (DID 21)

ORL	RAT	LD50	>2000	mg/kg
1				

#### ISOTRIDECANOLETHOXYLATE, POLYMER(8 MOLE EO AVERAGE)

ORAL	RAT	LD50	500-2000	ma/ka
UNAL	INA I	LDSU	300-2000	IIIg/kg

#### Relevant effects for mixture:

— ee .		
Httect	Route	l Racie
LIICGL	INDUIC	Dasis

#### 2WORK SCRUBBER DRYER DETERGENT LOW FOAM

Page: 6

Corrosivity OPT INH DRM Hazardous: calculated

#### Symptoms / routes of exposure

Skin contact: Blistering may occur. Progressive ulceration will occur if treatment is not immediate.

Eye contact: Corneal burns may occur. May cause permanent damage.

Ingestion: Corrosive burns may appear around the lips. Blood may be vomited. There may be bleeding

from the mouth or nose.

Inhalation: There may be shortness of breath with a burning sensation in the throat. Exposure may

cause coughing or wheezing.

Delayed / immediate effects: Immediate effects can be expected after short-term exposure.

#### **Section 12: Ecological information**

#### 12.1. Toxicity

# **Hazardous ingredients:**

# C9/11 A, >3-6 EO PREDOMINANTLY LINEAR (DID 21)

Scenedesmus	48H EC50	10 - 100	ma/l
Occincucanius	TOI 1 LOOU	10 100	mg/i

# ISOTRIDECANOLETHOXYLATE, POLYMER (8 MOLE EO AVERAGE)

FISH	96H LC50	1-10	ma/l
1 1011	0011 2000		9,.

# 12.2. Persistence and degradability

Persistence and degradability: Biodegradable. The surfactants contained in this preparation comply with the biodegradability

criteria as laid down in regulation (EC) No.648/2004 on detergents.

# 12.3. Bioaccumulative potential

Bioaccumulative potential: No bioaccumulation potential.

# 12.4. Mobility in soil

Mobility: Soluble in water.

# 12.5. Results of PBT and vPvB assessment

**PBT identification:** This product is not identified as a PBT/vPvB substance.

# 12.6. Other adverse effects

Other adverse effects: Negligible ecotoxicity.

# Section 13: Disposal considerations

#### 13.1. Waste treatment methods

Disposal of packaging: Dispose of as normal industrial waste.

**NB:** The user's attention is drawn to the possible existence of regional or national regulations

regarding disposal.

#### 2WORK SCRUBBER DRYER DETERGENT LOW FOAM

Page: 7

# **Section 14: Transport information**

14.1. UN number

UN number: UN1760

14.2. UN proper shipping name

Shipping name: CORROSIVE LIQUID, N.O.S.

(SODIUM HYDROXIDE(3.7%))

14.3. Transport hazard class(es)

Transport class: 8

14.4. Packing group

Packing group: ||

14.5. Environmental hazards

Environmentally hazardous: No Marine pollutant: No

14.6. Special precautions for user

Special precautions: No special precautions.

Tunnel code: E

Transport category: 2

# **Section 15: Regulatory information**

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

# 15.2. Chemical Safety Assessment

Chemical safety assessment: A chemical safety assessment has not been carried out for the substance or the mixture by

the supplier.

#### **Section 16: Other information**

#### Other information

Other information: This safety data sheet is prepared in accordance with Commission Regulation (EU) No

453/2010.

Phrases used in s.2 and s.3: H302: Harmful if swallowed.

H314: Causes severe skin burns and eye damage.

H318: Causes serious eye damage.

R34: Causes burns.

Legend to abbreviations: PNEC = predicted no effect level

DNEL = derived no effect level LD50 = median lethal dose

LC50 = median lethal concentration

EC50 = median effective concentration

# 2WORK SCRUBBER DRYER DETERGENT LOW FOAM

Page: 8

IC50 = median inhibitory concentration

dw = dry weight

bw = body weight

cc = closed cup

oc = open cup

MUS = mouse

GPG = guinea pig

RBT = rabbit

HAM = hamster

HMN = human

MAM = mammal

PGN = pigeon

IVN = intravenous

SCU = subcutaneous

SKN = skin

DRM = dermal

OCC = ocular/corneal

PCP = phycico-chemical properties

Legal disclaimer: The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product.