

1.1. Product identifier

Safety Data Sheet

according to Regulation (EC) No 453/2010

Revision Date : 14.06.2013

Artline

Xstamper

SECTION 1: Identification of the substance/mixture and of the company/undertaking

Product Name		Vriting Pens 200 , 210 , 220 Color : (Red) 00 ,EK-210 ,EK-220
Recommende		
Supplier	Company Name Address Telephone Fax Contact (e-mail)	 Shachihata (Europe) Limited Artline Point, Ashville Way, Sutton Weaver, Runcorn, Cheshire WA7 3EZ. UK 0870 600 5 006 0871 200 5 006 www.artline-xstamper.com
Manufacturer	Company Name Address Telephone Fax Contact (e-mail)	 Shachihata Inc. 4-69,Amazuka-cho,Nishi-ku,Nagoya City,451-0021,Japan +81-52-521-3600 +81-52-521-3899 chem-analysis@ngy.shachihata.co.jp

1.4. Emergency telephone number

Telephone: 0870 600 5 006

SECTION 2: Hazards identification 2.1. Classification of the substance or mixture 2.1.1. Classification (REGULATION (EC) No 1272/2008) Artline220 Prot02 Artline2200 port0.4 Not classified (ink) 2.1.2. Classification (67/548/EEC, 1999/45/EC) Not classified (ink) 2.2. Label elements Labelling (REGULATION (EC) No 1272/2008) Hazard pictograms • none Signal word none : Hazard statement : none Precautionary statement [Prevention] Wash hands thoroughly after handling. (P264) [Response] IF INHALED : Remove victim to fresh air and keep at rest in a position comfortable for breathing. (P304+P340) IF IN EYES : Rinse cautiously with water for several minutes. (P305+P351+P338) Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists : Get medical advice/attention. (P337+P313) IF SWALLOWED : Get medical advice/attention if you feel unwell.Rinse mouth. (P301+P314+P330) [Storage] Store in a well-ventilated place. Keep container tightly closed. (P403+P233) [Disposal] (P501) Dispose of contents/container to waste in accordance with local/regional/ national/international regulation (to be specified). 2.3. Other hazards

No information available.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Ingredients :

Chemical Name /	CAS-No.	Classification	Classification	Composition
Generic name	EC-No. Index	(67/548/EEC)	(REGULATION (EC) No 1272/2008)	weight %
Water	7732-18-5 231-791-2	none	none	60 ~ 70
ethane-1,2-diol	107-21-1 203-473-3	Xn; R22	Acute Tox.(oral) 4	10 ~ 20
2,2'-oxydiethanol	111-46-6 203-872-2	Xn; R22	Acute Tox.(oral) 4	5 ~ 15
Dyestuff	Confidential	none	none	1 ~ 10
Others	Confidential	none	none	1 ~ 10
total				100

SECTION 4: First aid measures

4.1. Description of first aid measures

IF INHALED	: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Consult a doctor if symptoms persist.
IF ON SKIN	: Remove/Take off immediately all contaminated clothing.Wash with soap and water. If skin irritation/rash occurs or feel unwell, consult a doctor for medical advice.
IF IN EYES	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.Continue rinsing. If eye irritation persists, get medical advice/attention.
IF SWALLOWED	: After rinse mouth immediately, give about 250 ml of water or milk and thin in the stomach, and do not vomit forcibly. Moreover, do not give anything from the mouth to the patient when not conscious. Receive the doctor's treatment (stomach pump) promptly.

SECTION 5: Firefighting measures

5.1. Extinguishing media		
Suitable extinguishing media	:	Dry chemical powder, foam or carbon dioxide
Unsuitable extinguishing media	:	Water jet

5.2. Special hazards arising from the substance or mixtureFor initial stage extinction, carbon dioxide or dry chemical powder.When a fire extends, fire is extinguished by a large amount of water spray.Do not discharge extinguishing waters into the aquatic environment.

5.3. Advice for firefighters

In the extinction work, an appropriate protective equipment (gloves, glasses, and mask) has to be worn. Because during a fire, hazardous gases may be generated, fire-fighters have to wear self-contained breathing apparatus and other protective equipment.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures				
Evacuate personnel to safe area. Shut off all sources of ignition.				
No Flares, smoking or flame in area. Put on protective equipment.	Ensure adequate ventilation.			
6.2. Environmental precautions				
Do not throw the leakage thing directly into environment				

6.3. Methods and material for containment and cleaning up In case of a small spill, absorb with dry sand, soil, sawdust, cloth, etc., then place in a chemical waste containers. In case of large spills, dike and prevent overflow, cover spills with foam,

then place in a chemical container using non-sparking tools.

SECTION 7: Handling and storage

7.1. Precautions for safe ha Advice on safe handling	: Use with add Avoid contac Obtain spec Do not hand	-	s and clothing.
7.2. Conditions for safe stor Requirements for storage areas and containers	: Keep contain Keep away f	ners tightly close	ed and store in a cool and dry place. ame,ignition source and sunlight.
SECTION 8: Exposure d	ontrols/per	rsonal prote	ection
8.1. Control parameters DIRECTIVE 2000/39/ ethane-1,2-diol	ΈC	TWA	20ppm
EH40/2005 Workplac ethane-1,2-diol 2,2'-oxydiethanol	e exposure limit	s TWA TWA	20ppm 23ppm
ACGIH (2012) ethane-1,2-diol		STEL ceiling	100mg/m ³ (H)
OSHA PEL		Not listed	
8.2. Exposure controls Personal protective equipm Respiratory Protection Hand Protection Eye Protection Skin Protection	: Use with lo Avoid breath : Avoid contact : Avoid contact	ning vapours. We ct with hands. W ct with eyes. We	ntilation, when in long use. ear mask to prevent organic gas,if necessary. /ear safety gloves, if necessary. ar safety glasses, if necessary. rsonal protection apron,boots,if necessary.
Environmental exposure co General advice	: Prevent proc Prevent furth		ng drains. pillage if safe to do so. rivers and lakes or drains inform respective authorities.
SECTION 9: Physical ar	nd chemical	l properties	
9.1 Information on basic phy Appearance	/sical and cher	mical properties : red liquid	S
Odour		· odorless	

Odour	: odorless
рН	: 7~9
Boiling point	: No data available
Flash point	: Not applicable (closed cup)
Relative Density (at 25 °C)	: 1.0 ~ 1.2 (g/cm ³)
Solubility in Water	: Insoluble

SECTION 10: Stability and reactivity

10.1. Reactivity

No dangerous reaction known under conditions of normal use.

- 10.2. Chemical stability
 - Thermally stable at typical use temperatures.
- 10.3. Possibility of hazardous reactions
 - No data available
- 10.4. Conditions to Avoid
- High temperature, Direct sunlight, Fire
- 10.5. Incompatible Materials
 - No data available
- 10.6. Hazardous decomposition products
- CO, CO_2

SECTION 11: Toxicological information

11.1. Information on toxico	logical effects			
Acute toxicity	: LD/LC50 values that	are relevant	for classification	
	[ethane-1,2-diol] and	[2,2'-oxydiet	hanol]	
	Oral-rat	LD50	>300 - <=2,000mg/kg	
	Dermal-rabbit	LD50	>5,000 mg/kg	
Carcinogenicity	: Not listed by IARC, E	PA, EU, NTF	D.	
SECTION 12: Ecological information				

12.1. Toxicity	:	No	data	available
12.2. Persistence and degradability	:	No	data	available
12.3. Bioaccumulative potential	:	No	data	available
12.4. Mobility in soil	:	No	data	available
12.5. Results of PBT and vPvB assessment	:	No	data	available
12.6. Other adverse effects	:	No	data	available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal must be made according to official regulations.

Comply with all Federal, State, and Local regulations regarding disposal.

Do not allow product to reach ground, any water course or sewage system.

SECTION 14: Transport information

14.1. UN number	DOT, ADR, IMDG, IATA	:	none
14.2. UN proper shipping name	DOT, ADR, IMDG, IATA	:	none
14.3. Transport hazard class(es)	DOT, ADR, IMDG, IATA	:	none
14.4. Packing group	DOT, ADR, IMDG, IATA	:	none
14.5. Environmental hazards	Marine pollutant	:	No
14.6. Special precautions for user	EMS Number	:	none
14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code		:	Not applicable.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

< EU Information >

EU Information >		
Regulation (EC) No 1272/2008 (C	CLP)	
Substance name	: [ethane	-1,2-diol]
Hazard Class & Category	: Acute to	oxicity - Oral,Category 4
Symbols	: GHS07	
Signal word	: Warning	3
Hazard statements	: H302	Harmful if swallowed
Substance name	: [2,2'-ox	vdiethanol]
Hazard Class & Category	: Acute to	oxicity - Oral,Category 4
Symbols	: GHS07	
Signal word	: Warning]
Hazard statements	: H302	Harmful if swallowed
Directive 67/548/EEC or 1999/45/	/EC	
Substance name	: [ethane	-1,2-diol]
Classification	: Xn; R22	
R-Phrase	: R22	Harmful if swallowed.
S-Phrase	: S2	Keep out of the reach of children.
Symbols and indications of da	nger specific	c Xn : Harmful
Substance name	: [2,2'-ox	/diethanol]
Classification	: Xn; R22	
R-Phrase	: R22	Harmful if swallowed.
S-Phrase	: S2	Keep out of the reach of children.
	S46	If swallowed, seek medical advice immediately and show this container
		or label.

[(EC) No 453/2010][Shachihata Inc.] [EK-200_red_c] 5/5

Symbols and indications of danger specific Xn : Harmful

15.2. Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

SECTION 16: Other information



EU RoHS Directive(2002/95/EC) and ELV Directive(2000/53/EC) This product not contain lead,mercury, cadmium, hexavalent chromium, polybromiated biphenyls (PBB) or polybrominated diphenylethers (PBDE).

This data sheet may not be enough when evaluating danger or hazard. The above information, which is created from currently available documents, information and data, may be revised when new findings announced. This document has been written on the assumption that when dealing with a large amount of ink on the business case and emergency. When handling as a normal product, please refer to the notes that is described in the produce or packaging. The information contained herein is not intended to provide any kind of warranty other than information, there is no guarantee for the accuracy of the content.