# at your side

# Safety Data Sheet

Date of issue: 30 September 2017 Product name: LC3011C, LC3013C, LC3033C, LC3035C, LC3111C, Revision date: 24 October 2017 LC3133C, LC3135C, LC3211C, LC3213C, LC3233C, LC3235XLC, Version: 4.1 LC3311C, LC3333C, LC3335XLC, LC3511C, LC3513C Ink SDS No:BHC151-01-EUUSOTHER SECTION 1: Identification of the substance/mixture and of the company/undertaking 1.1. **Product identifier** Product Name (Product code) : LC3011C, LC3013C, LC3033C, LC3035C, LC3111C, LC3133C, LC3135C, LC3211C, LC3213C, LC3233C, LC3235XLC, LC3311C, LC33333C, LC3335XLC, LC3511C, LC3513C 1.2. Relevant identified uses of the substance or mixture and uses advised against Relevant identified uses 121 Use of the substance/mixture : These products are dark blue ink in a cartridge for Brother Industries, Ltd. inkjet multifunction devices and fax receivers. The cartridge should be used as supplied by Brother and for use in the products stated. Information provided on this SDS is only consistent with the use specified by Brother 1.2.2. Uses advised against No additional information available Details of the supplier of the safety data sheet 1.3. Manufacturer Brother Industries, Ltd. 15-1 Naeshiro-cho, Mizuho-ku, Nagoya 467-8561, Japan Telephone (for information): +81-52-824-2735 Importer (USA) **Brother International Corporation** 200 Crossing Boulevard, Bridgewater, NJ 08807, USA Telephone (for information): +1-877-276-8437 Importer (Canada) Brother International Corporation (Canada) Ltd. 1 Hotel de Ville, Dollard des Ormeaux, Québec, H9B 3H6, Canada Telephone (for information): +1-514-685-0600 Importer (Europe) Brother International Europe Ltd. Brother House, 1 Tame Street, Guide Bridge, Audenshaw, Manchester M34 5JE, UK Telephone (for information): +44-161-330-6531 Brother International (Aust.) Pty. Ltd. ACN 001 393 835 Importer (Australia) Level 3, Building A, 11 Talavera Road, Macquarie Park, NSW 2113, Australia Telephone (for information): +61-2-9887-4344 E-mail Address sds.info@brother.co.jp 1.4. Emergency telephone number : CHEMTREC Emergency number +1-703-527-3887 (International) +1-800-424-9300 (North America) +61-290372994 (Australia) For France only: Antipoison Center telephone number: ORFILA +33-1-45-425-959

### **SECTION 2: Hazards identification**

### 2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP] Not classified

### **Classification according to OSHA GHS**

Not classified

### Australia Classification

Not classified as hazardous according to the criteria of NOHSC



Product name: LC3011C, LC3013C, LC3033C, LC3035C, LC3111C, LC3133C, LC3135C, LC3211C, LC3213C, LC3233C, LC3235XLC, LC3213C, LC32511C, LC3513C Ink

### 2.2. Label elements

### Labeling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms
Signal Word
Hazard Statements
Precautionary statements

None.
None.
EUH208 - Contains 1,2-benzisothiazol-3(2H)-one. May produce an allergic reaction.
None.

Date of issue: 30 September 2017

SDS No:BHC151-01-EUUSOTHER

Revision date: 24 October 2017

Version: 4.1

### 2.3. Other hazards

This substance/mixture does not meet the PBT criteria of REACH, annex XIII This substance/mixture does not meet the vPvB criteria of REACH, annex XIII

### **SECTION 3: Composition/information on ingredients**

### 3.2. Mixture

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
glycerol	(CAS No) 56-81-5 (EC no) 200-289-5	20 - 50	Not classified
Diethylene glycol	(CAS No) 111-46-6 (EC no) 203-872-2 (EC index no) 603-140-00-6	3 - 10	Acute Tox. 4 (Oral), H302
Cyan Dye	(CAS No) * (EC no) *	3 - 10	Not classified
Triethylene glycol monobutyl ether	(CAS No) 143-22-6 (EC no) 205-592-6 (EC index no) 603-183-00-0	3 - 10	Eye Dam. 1, H318
Water	(CAS No) 7732-18-5 (EC no) 231-791-2	65 - 75	Not classified
1,2-benziso hiazol-3(2H)-one	(CAS No) 2634-33-5 (EC no) 220-120-9 (EC index no) 613-088-00-6	< 0.05	Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Eye Dam. 1, H318 Skin Sens. 1, H317 Aquatic Acute 1, H400

\*Registered

Full text of R- and H- phrases: see section 16

### **SECTION 4: First aid measures**

: If symptoms persist, obtain medical attention.
: Obtain medical attention. In case of accident by inhalation : remove casualty to fresh air and keep at rest.
: Remove contaminated clothing immediately and wash affected skin with plenty of water or soap and water.
: Obtain medical attention. If substance has got into the eyes, immediately wash out with plenty of water for at least 15 minutes.
: Obtain immediate medical attention. Wash out mouth with water and give 100-200 ml of water to drink.
s, both acute and delayed
: Unlikely route of exposure.
: Repeated and/or prolonged skin contact may cause irritation.
: May cause eye irritation.
: Ingestion may cause irritation of the gastrointestinal tract. Unl kely route of exposure.
t

### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.



Product name: LC3011C, LC3013C, LC3033C, LC3035C, LC3111C, LC3133C, LC3135C, LC3211C, LC3213C, LC3233C, LC3235XLC, LC3311C, LC3333C, LC3335XLC, LC3511C, LC3513C Ink

### SECTION 5: Firefighting measures

#### 5.1. Extinguishing media Suitable extinguishing media : Extinguish preferably with dry chemical, carbon dioxide, water, foam. Unsuitable extinguishing media : None. 5.2. Special hazards arising from the substance or mixture Fire hazard : Thermal decomposition of organic components may result in occurrence of oxides of carbon. Hazardous decomposition products in case of Toxic gases may be formed upon combustion and represents a hazard to firefighters. Combustion products: See Section: 10. fire 5.3. Advice for firefighters **Firefighting instructions** : Use appropriate respirator for carbon monoxide and carbon dioxide. Wear positive pressure selfcontained breathing apparatus (SCBA) during the attack phase of firefighting operations and during cleanup in enclosed or poorly ventilated areas immediately after a fire. Personnel not having suitable respiratory protection must leave the area to prevent significant exposure to toxic combustion gases from any source.

### **SECTION 6: Accidental release measures**

6.1. Personal precautions, protective equipment and emergency procedures

#### 6.1.1. For non-emergency personnel

No additional information available

#### 6.1.2. For emergency responders

: Ensure adequate ventilation. Avoid contact with eyes. Emergency procedures

#### 6.2. **Environmental precautions**

Prevent substance entering sewers. Washings must be prevented from entering surface water drains.

#### Methods and material for containment and cleaning up 6.3.

For containment Methods for cleaning up : Wipe up ink with absorbent towel. : Wash with water to remove remaining traces of ink.

#### 6.4. Reference to other sections

SECTION 8: Exposure controls/personal protection. SECTION 13: Disposal considerations.

### SECTION 7: Handling and storage

#### Precautions for safe handling 7.1.

Precautions for safe handling

: Keep out of the reach of children. Avoid contact with skin, eyes and clothing.

#### Conditions for safe storage, including any incompatibilities 7.2. : Keep away from oxidizing agents.

Storage conditions

#### 7.3. Specific end use(s)

Cartridge containing water based ink for inkjet printing machine.

### SECTION 8: Exposure controls/personal protection

#### 8.1. **Control parameters**

glycerol (56-81-5)			
Belgium	Local name	Glycérine (brouillard)	
Belgium	Limit value (mg/m <sup>3</sup> )	10 mg/m <sup>3</sup>	
Czech Republic	Local name	Glycerol, mlha	
Czech Republic	Exposure limits (PEL) (mg/m <sup>3</sup> )	10 mg/m <sup>3</sup>	
Czech Republic	Exposure limits (PEL) (ppm)	2.4 ppm	
Czech Republic	Exposure limits (NPK-P) (mg/m <sup>3</sup> )	15 mg/m³	
Czech Republic	Exposure limits (NPK-P) (ppm)	3.7 ppm	
Finland	Local name	Glyseroli	
Finland	HTP-arvo (8h) (mg/m <sup>3</sup> )	20 mg/m <sup>3</sup>	

Date of issue: 30 September 2017 Revision date: 24 October 2017 Version: 4.1 SDS No:BHC151-01-EUUSOTHER



Product name: LC3011C, LC3013C, LC3033C, LC3035C, LC3111C, LC3133C, LC3135C, LC3211C, LC3213C, LC3233C, LC3235XLC, LC3311C, LC3333C, LC3335XLC, LC3511C, LC3513C Ink

Date of issue: 30 September 2017 Revision date: 24 October 2017 Version: 4.1 SDS No:BHC151–01-EUUSOTHER

glycerol (56-81-5)		
France	Local name	Glycérine (aérosols de)
France	VME (mg/m <sup>3</sup> )	10 mg/m <sup>3</sup>
Ireland	Local name	Glycerol, mist
Ireland	OEL (8 hours ref) (mg/m <sup>3</sup> )	10 mg/m <sup>3</sup>
Poland	Local name	Glicerol aerozole
Poland	NDS (mg/m <sup>3</sup> )	10 mg/m <sup>3</sup>
Portugal	Local name	Glicerina, névoas
Portugal	OEL TWA (mg/m <sup>3</sup> )	10 mg/m <sup>3</sup>
United Kingdom	Local name	Glycerol, mist
United Kingdom	WEL TWA (mg/m <sup>3</sup> )	10 mg/m <sup>3</sup>
USA - ACGIH	Local name	Glycerin mist
USA - ACGIH	ACGIH TWA (mg/m <sup>3</sup> )	10 mg/m <sup>3</sup> mist
USA - ACGIH	Remark (ACGIH)	URT irr
USA - OSHA	OSHA PEL (TWA) (mg/m <sup>3</sup> )	15 mg/m <sup>3</sup> Total dust 5 mg/m <sup>3</sup> Respirable Fraction

Diethylene glycol (111-46-6)		
Austria	Local name	Diethylenglykol
Austria	MAK (mg/m³)	44 mg/m <sup>3</sup>
Austria	MAK (ppm)	10 ppm
Austria	MAK Short time value (mg/m <sup>3</sup> )	176 mg/m <sup>3</sup>
Austria	MAK Short time value (ppm)	40 ppm
Denmark	Local name	Diethylenglycol
Denmark	Limit (long-term) (mg/m <sup>3</sup> )	11 mg/m³
Denmark	Limit (long-term) (ppm)	2.5 ppm
Germany	Local name	2,2'-Oxydiethanol
Germany	TRGS 900 Occupational exposure limit value (mg/m <sup>3</sup> )	44 mg/m <sup>3</sup>
Germany	TRGS 900 Occupational exposure limit value (ppm)	10 ppm
Germany	Remark (TRGS 900)	DFG,Y
Ireland	Local name	Diethylene glycol
Ireland	OEL (8 hours ref) (mg/m <sup>3</sup> )	100 mg/m <sup>3</sup>
Ireland	OEL (8 hours ref) (ppm)	23 ppm
Latvia	Local name	Dietilēnglikols (2,2'oksibisetanols,2,2'dihidroksidietilēteris)
Latvia	OEL TWA (mg/m³)	10 mg/m <sup>3</sup>
Lithuania	Local name	2,2-oksidietanolis (dietilengl kolis, diglikolis)
Lithuania	IPRV (mg/m <sup>3</sup> )	45 mg/m <sup>3</sup>
Lithuania	IPRV (ppm)	10 ppm
Lithuania	TPRV (mg/m³)	90 mg/m³
Lithuania	TPRV (ppm)	20 ppm
Lithuania	Remark (LT)	0
Poland	Local name	2,2'-Oksydietanol (glikol dwuetylenowy) aerozol
Poland	NDS (mg/m <sup>3</sup> )	10 mg/m <sup>3</sup>
Romania	Local name	Dietilenglicol
Romania	OEL TWA (mg/m <sup>3</sup> )	500 mg/m <sup>3</sup>
Romania	OEL TWA (ppm)	115 ppm
Romania	OEL STEL (mg/m³)	800 mg/m <sup>3</sup>
Romania	OEL STEL (ppm)	184 ppm
Spain	Local name	Dietilenglicol
Spain	VLA-ED (mg/m³)	44 mg/m <sup>3</sup>



Product name: LC3011C, LC3013C, LC3033C, LC3035C, LC3111C, LC3133C, LC3135C, LC3211C, LC3213C, LC3233C, LC3235XLC, LC3311C, LC3333C, LC3335XLC, LC3511C, LC3513C Ink

Date of issue: 30 September 2017 Revision date: 24 October 2017 Version: 4.1 SDS No:BHC151–01-EUUSOTHER

Diethylene glycol (111	-46-6)		
Spain	VLA-ED (ppm)	10 ppm	
Spain	VLA-EC (mg/m <sup>3</sup> )	176 mg/m³	
Spain	VLA-EC (ppm)	40 ppm	
Sweden	Local name	Diethylene glycol	
Sweden	nivågränsvärde (NVG) (mg/m <sup>3</sup> )	45 mg/m <sup>3</sup>	
Sweden	nivågränsvärde (NVG) (ppm)	10 ppm	
Sweden	kortidsvärde (KTV) (mg/m <sup>3</sup> )	90 mg/m <sup>3</sup>	
Sweden	kortidsvärde (KTV) (ppm)	20 ppm	
United Kingdom	Local name	2,2'-Oxydiethanol	
United Kingdom	WEL TWA (mg/m <sup>3</sup> )	101 mg/m <sup>3</sup>	
United Kingdom	WEL TWA (ppm)	23 ppm	

### 8.2. Exposure controls

Appropriate engineering controls Personal protective equipment

Hand protection

Eye protection

Skin and body protection

Respiratory protection

Environmental exposure controls

: Good general ventilation should be sufficient under normal use.

: Not normally required. For use other than in normal operating procedures (such as in the event of large spill), the following should be applied:

: protective gloves.

: Safety goggles.

: Long sleeved clothing and long pants.

: In case of large spillages: Wear suitable respiratory protective equipment.

: Avoid release to the environment.



Product name: LC3011C, LC3013C, LC3033C, LC3035C, LC3111C, LC3133C, LC3135C, LC3211C, LC3213C, LC3233C, LC3235XLC, LC3311C, LC3333C, LC3335XLC, LC3511C, LC3513C Ink

Date of issue: 30 September 2017 Revision date: 24 October 2017 Version: 4.1 SDS No:BHC151–01-EUUSOTHER

### **SECTION 9: Physical and chemical properties**

9.1. Information on basic physical and	chemical properties
Physical state	: Liquid
Appearance	: Dark blue
Color	: Dark blue
Odor	: Slight odor
Odor threshold	: No information available
рН	: 7-9
Relative evaporation rate (butyl acetate=1)	: No information available
Relative evaporation rate (ether=1)	: Not available
Melting point	: <5 °C
Freezing point	: No data available
Boiling point	: > 100 °C
Flash point	: Does not flash at 93.3°C or lower (Tag closed cup & Cleveland opened cup)
Auto-ignition temperature	: > 400 °C
Decomposition temperature	: Not available
Flammability (solid, gas)	: Not applicable
Vapor pressure	: Not available
Relative vapor density at 20 °C	: Not available
Relative density	: No data available
Specific gravity / density	: 1 - 1.1 g/ml
Solubility	: Soluble in water
Log Pow	: No data available
Log Kow	: No data available
Viscosity, kinematic	: 2 - 5 mPa·s
Viscosity, dynamic	: No data available
Explosive properties	: Not explosive
Oxidizing properties	: Not available
Explosion limits	: Not available
9.2. Other information	

No additional information available

### **SECTION 10: Stability and reactivity**

### 10.1. Reactivity

No information available.

**10.2.** Chemical stability Stable.

### 10.3. Possibility of hazardous reactions

No information available.

### 10.4. Conditions to avoid

No information available.

### 10.5. Incompatible materials

Strong oxidizing agents.

### 10.6. Hazardous decomposition products

Carbon monoxide. Carbon dioxide.



Product name: LC3011C, LC3013C, LC3033C, LC3035C, LC3111C, LC3133C, LC3135C, LC3211C, LC3213C, LC3233C, LC3235XLC, LC3311C, LC3333C, LC3335XLC, LC3511C, LC3513C Ink

### **SECTION 11: Toxicological information**

Date of issue: 30 September 2017 Revision date: 24 October 2017 Version: 4.1 SDS No:BHC151–01-EUUSOTHER

11.1. Information on toxicological effects	5
Acute toxicity	: Not classified
LD <sub>50</sub> oral rat	> 2000 mg/kg (OECD 420 method)
Skin corrosion/irritation	: Non-irritant. (OECD 404 method) pH: 7 - 9
Serious eye damage/irritation	: Minimal irritant to the eye. (OECD 405 method) pH: 7 - 9
Respiratory or skin sensitization	: It is not a skin sensitizer. (OECD 429 method)
Germ cell mutagenicity	: Negative. (OECD 471 method)
Carcinogenicity	: Ingredients of this product have not been classified as carcinogens according to IARC monographs, NTP and OSHA
Reproductive toxicity	: Not classified
Specific target organ toxicity (single exposure)	: Not classified
Specific target organ toxicity (repeated exposure)	: Not classified
Aspiration hazard	: Not classified

## **SECTION 12: Ecological information**

### 12.1. Toxicity

glycerol (56-81-5)	
LC <sub>50</sub> fish	51 - 57 ml/l 96 h - Oncorhynchus mykiss
EC₅₀ Daphnia	> 500 mg/l 24 h - Daphnia magna
Diethylene glycol (111-46-6)	
LC <sub>50</sub> fish	75200 mg/kg 96 - Pimephales promelas
EC₅₀ Daphnia	84000 mg/l 48 h - Daphnia magna
Triethylene glycol monobutyl ether (14	3-22-6)
LC <sub>50</sub> fish	2200 - 4600 mg/kg 96 h - Leuciscus idus
LC 50 other aquatic organisms	2400 mg/kg 96 h - Pimephales promelas
EC50 Daphnia	> 500 mg/l 48 h - Daphnia magna
EC <sub>50</sub> other aquatic organisms 1	> 500 mg/l 72 h - Desmodesmus subspicatus

### 12.2. Persistence and degradability

Persistence and degradability

No information available.

### 12.3. Bioaccumulative potential

-1.76		
Diethylene glycol (111-46-6)		
-1.98		
Triethylene glycol monobutyl ether (143-22-6)		
0.51		
-		

### 12.4. Mobility in soil

Ecology - soil

No information available.

### 12.5. Results of PBT and vPvB assessment

This substance/mixture does not meet the PBT criteria of REACH, annex XIII This substance/mixture does not meet the vPvB criteria of REACH, annex XIII Results of PBT assessment Not available



Product name: LC3011C, LC3013C, LC3033C, LC3035C, LC3111C, LC3133C, LC3135C, LC3211C, LC3213C, LC3233C, LC3235XLC, LC3311C, LC3333C, LC3335XLC, LC3511C, LC3513C Ink **12.6.** Other adverse effects

Other adverse effects

: No information available.

### **SECTION 13: Disposal considerations**

### 13.1. Waste treatment methods

Waste disposal recommendations

: Dispose in accordance with federal, state and local regulations.

### **SECTION 14: Transport information**

		-		
In accordance with ADR / IMDG / IATA / DOT / UN				
14.1.	UN number			
Not regul	ated for transport			
14.2.	UN proper shipping name			
Proper S	hipping Name (ADR/RID)	:	None	
Proper S	hipping Name (IATA)	:	None	
Proper S	hipping Name (IMDG)	:	None	
14.3.	Transport hazard class(es)			
Not appli	cable			
14.4.	Packing group			
Not appli	cable			
14.5.	Environmental hazards			
Other info	ormation	:	None	
14.6	Special precautions for user			
	ransport precautions		None	
•		•		
14.6.1.	Overland transport			
No additi	onal information available			
14.6.2.	Transport by sea			
No additi	onal information available			

**14.6.3.** Air transport No additional information available

### 14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

### **SECTION 15: Regulatory information**

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

: Not applicable

### 15.1.1. EU-Regulations

IBC code

No REACH Annex XVII restrictions Contains no REACH candidate substance

### 15.1.2. National regulations

Regional legislation

: EU:Not classified as dangerous for supply/use. (1999/45/EC)

USA: All chemical substances contained in this product are and had been listed on the TSCA Chemical Substances Inventory, and none is subject to any of the following TSCA requirements: section 4 test rules; proposed or final section 5(a)(2) significant new use rules; section 5(e) consent orders; section 8(a) preliminary assessment information rules; and section 8(d) health and safety data reporting rules.

Canada: WHMIS: Not applicable. (Manufactured article).



Product name: LC3011C, LC3013C, LC3033C, LC3035C, LC3111C, LC3133C, LC3135C, LC3211C, LC3213C, LC3233C, LC3235XLC, LC3311C, LC3333C, LC3335XLC, LC3511C, LC3513C Ink

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

### **SECTION 16: Other information**

Indication of changes: SECTION 1.

Data sources	<ul> <li>U.S. 29CFR Part 1910         ACGIH Threshold Limit Values for Chemical Substances and Physical Agents and Biological Exposure Indices         IARC Monographs on the Evaluation Carcinogenic Risks to Humans World Health Organization EU Directive 91/322/EEC and 2000/39/EC         NTP 11th Report on Carcinogens.     </li> </ul>
Abbreviations and acronyms	<ul> <li>IARC (International Agency for Research on Cancer) IATA (International Air Transport Association) IMDG (International Maritime Dangerous Goods Code) IOELV (Indicative Occupational Exposure Limit) REACH (Registration, Evaluation and Authorisation of CHemicals) WHMIS (Workplace Hazardous Material Information System (Canada)) ACGIH (American Conference of Governement Industrial Hygienists) DOT (Department Of Transportation (US)) ICAO (International Civil Aviation Organization) NOHSC (National Occupational Health and Safety Commission (Australia)) NTP (National Toxicology Program) (US) OSHA (Occupational Safety and Health Administration) (US) PEL (Permissible Exposure Limit) STEL (Short Term Exposure Limit) TLV (Threshold Limit Value) (ACGIH) TSCA (Toxic Substances Control Act) (US) TWA (Time Weighted Average).</li> </ul>
Other information	: The information only relates to this specific product. It may not be valid, if used in combination with any other materials or in any other process, and it is based on our best knowledge as of the

### Full text of R-, H- and EUH-phrases:

Acute Tox. 4 (Oral)	Acute toxicity (oral) Category 4
Eye Dam. 1	Serious eye damage/eye irritation Category 1
Skin Irrit. 2	Skin corrosion/irritation Category 2
Skin Sens. 1	Skin sensitization Category 1
Aquatic Acute 1	Hazardous to the aquatic environment - Acute Hazard Category 1
H302	Harmful if swallowed
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H318	Causes serious eye damage
H400	Very toxic to aquatic life
R22	Harmful if swallowed
R41	Risk of serious damage to eyes
R38	Irritating to skin
R43	May cause sensitization by skin contact
R50	Very toxic to aquatic organisms
Ν	Dangerous for the environment
Xi	Irritant
Xn	Harmful

date of preparation (revision).

Date of issue: 30 September 2017 Revision date: 24 October 2017 Version: 4.1 SDS No:BHC151–01-EUUSOTHER