

SAFETY DATA SHEET

SECTION 1: Identification of the substance/mixture and of the company/undertaking

Important information	*** This Safety Data Sheet is only authorised for use by HP for HP Original products. Any unauthorised use of this Safety Data Sheet is strictly prohibited and may result in legal action being taken by HP. ***		
1.1. Product identifier			
Trade name or designation of the mixture	HP LaserJet CF259A-X-XC Print Cartridge		
Registration number	-		
Synonyms	None.		
Issue date	07-Jun-2019		
Version number	01		
1.2. Relevant identified uses of t	he substance or mixture and uses advised against		
Identified uses	This product is a toner preparation that is used in HP LaserJet Pro M404d,M404n,M404dn,M404dw,M405n,M405d,M405dn,M405dw,M304a,M305d,M305dn,MFP M329dn,MFP M329dw series printers.		
Uses advised against	None known.		
1.3. Details of the supplier of the	e safety data sheet		
	HP Inc. UK Limited		
	Cain Road, Amen Corner		
	Bracknell, Berkshire RG12 1HN		
	United Kingdom		
Telephone	44 (0) 879 013 0790		
HP Inc. health effects line			
(Toll-free within the US)	1-800-457-4209		
(Direct)	1-760-710-0048		
HP Inc. Customer Care Line			
(Toll-free within the US)	1-800-474-6836		
(Direct)	1-208-323-2551		
Email:	hpcustomer.inquiries@hp.com		
1.4 Emergency telephone number	0207771 5307		

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 as amended

This mixture does not meet the criteria for classification according to Regulation (EC) 1272/2008 as amended.

2.2. Label elements

Label according to Regulation (EC) No. 1272/2008 as amended

Contains:	Amorphous silica, Iron oxide, Styrene acrylate copolymer, Wax		
Hazard pictograms	None.		
Signal word	None.		
Hazard statements	None		
Precautionary statements			
Prevention	Not available.		
Response	Not available.		
Storage	Not available.		
Disposal	Not available.		
Supplemental label information	None.		

None of the other ingredients in this preparation are classified as carcinogens according to ACGIH, EU, IARC, MAK, NTP or OSHA. This preparation contains no component classified as Persistent, Bioaccumulative, and Toxic (PBT) or very Persistent and very Bioaccumulative (vPvB) as defined under Regulation (EC) 1907/2006.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

General information

Chemical name	%	CAS-No. / EC No.	REACH Registration No.	Index No.	Notes
Styrene acrylate copolymer	<50	Trade Secret	-	-	
Classification:		-			
Iron oxide	<45	1317-61-9 215-277-5	01-2119457646-28-XXXX	-	
Classification: -					
Wax	<15	Proprietary	-	-	
Classification:		-			
Amorphous silica	<2	7631-86-9 231-545-4	01-2119379499-16-xxxx	-	
Classification:					

SECTION 4: First aid measures

General information

Not available.

4.1. Description of first aid meas	Sures		
Inhalation	Move person to fresh air immediately. If irritation persists, consult a physician.		
Skin contact	Wash affected areas thoroughly with mild soap and water. Get medical attention if irritation develops or persists.		
Eye contact	Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at least 15 minutes or until particles are removed. If irritation persists, consult a physician.		
Ingestion	Rinse mouth out with water. Drink one to two glasses of water. If symptoms occur, consult a physician.		
4.2. Most important symptoms and effects, both acute and delayed	Not available.		
4.3. Indication of any immediate medical attention and special treatment needed	Not available.		

SECTION 5: Firefighting measures

General fire hazards	Not available.	
5.1. Extinguishing media Suitable extinguishing media	CO2, water, or dry chemical	
Unsuitable extinguishing media	None known.	
5.2. Special hazards arising from the substance or mixture	Like most organic material in powder form, toner can form explosive dust-air mixtures when finely dispersed in air.	
5.3. Advice for firefighters Special protective equipment for firefighters	Not available.	
Special fire fighting procedures	If fire occurs in the printer, treat as an electrical fire.	
Specific methods	None established.	

SECTION 6: Accidental release measures

6.1. Personal precautions, protect	tive equipment and emergency procedures	
For non-emergency personnel	Minimize dust generation and accumulation.	
For emergency responders	Not available.	
6.2. Environmental precautions	Do not flush into surface water or sanitary sewer system. See also section 13 Disposal considerations.	
6.3. Methods and material for containment and cleaning up	Slowly vacuum or sweep the material into a bag or other sealed container. Clean remainder with a damp cloth or vacuum cleaner. If a vacuum is used, the motor must be rated as dust explosion-proof. Fine powder can form explosive dust-air mixtures. Dispose of in compliance with federal, state, and local regulations.	
6.4. Reference to other sections	Not available.	

SECTION 7: Handling and storage

7.1. Precautions for safe handling	Keep out of the reach of children. Avoid inhalation of dust and contact with skin and eyes. Use with adequate ventilation. Keep away from excessive heat, sparks, and open flames.
7.2. Conditions for safe storage, including any incompatibilities	Keep out of the reach of children. Keep tightly closed and dry. Store at room temperature. Store away from strong oxidizers.
7.3. Specific end use(s)	Not available.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters			
Occupational exposure limits	No exposure limits noted for ingredient(s).		
Biological limit values	No biological exposure limits noted for the ingredient(s).		
Recommended monitoring procedures	Not available.		
Derived no effect levels (DNELs)	Not available.		
Predicted no effect concentrations (PNECs)	Not available.		
Exposure guidelines	, 5 mg/m3 (Respirable Fraction)		
	, 3 mg/m3 (Respirable Particulate)		
	Amorphous silica: USA OSHA (TWA/PEL): 20 mppcf 80 (mg/m3)/%SiO2, ACGIH (TWA/TLV): 10 mg/m3		
	TRGS 900 (Luftgrenzwert) - 10 mg/m3 (Einatembare partikel), 3 mg/m3 (Alveolengängige fraktion)		
	UK WEL: 10 mg/m3 (Respirable Dust), 5 mg/m3 (Inhalable Dust)		
8.2. Exposure controls			
Appropriate engineering controls	Use in a well ventilated area.		
Individual protection measures,	such as personal protective equipment		
General information	No personal respiratory protective equipment required under normal conditions of use.		
Eye/face protection	Not available.		
Skin protection			
- Hand protection	Not available.		
- Other	Not available.		
Respiratory protection	Not available.		
Thermal hazards	Not available.		
Hygiene measures	Not available.		
Environmental exposure controls	Not available.		

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance	Fine powder
Physical state	Solid.

Form	solid		
Color	Black.		
Odor	Slight plastic odor		
Odor threshold	Not available.		
pH	Not applicable		
	Not available.		
Melting point/freezing point			
Initial boiling point and boiling range	Not applicable		
Flash point	Not applicable		
Evaporation rate	Not applicable		
Flammability (solid, gas)	Not available.		
Upper/lower flammability or exp			
Flammability limit - lower (%)	Not available.		
Flammability limit - upper (%)	Not available.		
Vapor pressure	Not applicable		
Vapor density	Not applicable		
Solubility(ies)			
Solubility (water)	Negligible in water. Partially soluble in toluene and xylene.		
Partition coefficient (n-octanol/water)	Not available.		
Auto-ignition temperature	Not available		
Decomposition temperature	> 392 °F (> 200 °C)		
Viscosity	Not applicable		
Explosive properties	Not available.		
Oxidizing properties	No information available.		
9.2. Other information			
Percent volatile	Negligible		
Softening point	194 - 284 °F (90 - 140 °C)		
Specific gravity	1.4 - 1.8		
VOC	Not applicable		
SECTION 10: Stability and	d reactivity		
10.1. Reactivity	Not available.		
10.2. Chemical stability	Stable under normal storage conditions.		
10.3. Possibility of hazardous reactions	Will not occur.		
10.4. Conditions to avoid	Imaging Drum: Exposure to light		
10.5. Incompatible materials	Strong oxidizers		
10.6. Hazardous decomposition products	Carbon monoxide and carbon dioxide.		
SECTION 11: Toxicologic	al information		
General information	Not available.		
Information on likely routes of e			

Information on likely routes of exposure			
Inhalation	Under normal conditions of intended use, this material is not expected to be an inhalation hazard.		
Skin contact	Contact with skin may result in mild irritation.		
Eye contact	Contact with eyes may result in mild irritation.		
Ingestion	Ingestion is not a likely route of exposure.		
Symptoms	Not available.		
11.1. Information on toxicological effects			
Acute toxicity	Based on available data, the classification criteria are not met.		

Product	Species	Test Results
CF259A-X-XC		
Acute		
LD50		> 2000 mg/kg
Skin corrosion/irritation	Based on available dat	a, the classification criteria are not met.
Serious eye damage/eye irritation	Based on available dat	a, the classification criteria are not met.
Respiratory sensitization	Based on available dat	a, the classification criteria are not met.
Skin sensitization	Based on available dat	a, the classification criteria are not met.
Germ cell mutagenicity	U	icate mutagenic potential (Ames Test: Salmonella typhimurium) a, the classification criteria are not met.
Carcinogenicity	Based on available dat	a, the classification criteria are not met.
Reproductive toxicity	Based on available dat	a, the classification criteria are not met.
Specific target organ toxicity - single exposure	Based on available dat	a, the classification criteria are not met.
Specific target organ toxicity - repeated exposure	Based on available dat	a, the classification criteria are not met.
Aspiration hazard	Based on available dat	a, the classification criteria are not met.
Mixture versus substance information	Not available.	
Other information		are not available for this specific formulation ootential health effects and Section 4 for first aid measures.

SECTION 12: Ecological information

12.1. Toxicity	LL50: > 1000 mg/l, Fish, 96.00 Hours			
Product		Species	Test Results	
CF259A-X-XC				
Aquatic				
Algae	ErL50	Algae	> 1000 mg/l, 72 Hours	
Crustacea	EL50	Crustacea	> 1000 mg/l, 48 Hours	
Fish	LL50	Fish	> 1000 mg/l, 96 Hours	
12.2. Persistence and degradability	Not availa	able.		
12.3. Bioaccumulative potential	Not availa	able.		
Partition coefficient n-octanol/water (log Kow)	Not availa	able.		
Bioconcentration factor (BCF)	Not availa	able.		
12.4. Mobility in soil	Not availa	Not available.		
12.5. Results of PBT and vPvB assessment	Not a PBT or vPvB substance or mixture.			
12.6. Other adverse effects	Not availa	Not available.		

SECTION 13: Disposal considerations


13.1. Waste treatment methods	
Residual waste	Not available.
Contaminated packaging	Not available.
EU waste code	Not available.
Disposal methods/information	Do not shred toner cartridge, unless dust-explosion prevention measures are taken. Finely dispersed particles may form explosive mixtures in air. Dispose of in compliance with federal, state, and local regulations.
	HP's Planet Partners (trademark) supplies recycling program enables simple, convenient recycling of HP original inkjet and LaserJet supplies. For more information and to determine if this service is available in your location, please visit http://www.hp.com/recycle.

SECTION 14: Transport information

ΙΑΤΑ

UN number UN2807

UN proper shipping name	Magnetized material
Transport hazard class(es)	
Class	9
Subsidiary risk	-
Packing group	Not available.
Environmental hazards	No.
Special precautions for user	Not available.
IATA Supplemental Information	27 or more of these products shipped together, by air, are regulated as magnetized material
ΙΑΤΑ	



Not a dangerous good under DOT, IATA, ADR, IMDG, or RID.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations

Further information

- Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I Not listed.
- Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex II Not listed.
- Regulation (EC) No. 850/2004 On persistent organic pollutants, Annex I as amended Not listed
- Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 1 as amended Not listed.
- Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 2 as amended Not listed.
- Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 3 as amended Not listed.
- Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex V as amended Not listed.
- Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry
 - Not listed.
- Regulation (EC) No. 1907/2006, REACH Article 59(1) Candidate List as currently published by ECHA Not listed.

Authorizations

Regulation (EC) No. 143/2011 Annex XIV Substances Subject to Authorization

Not listed.

Restrictions on use

Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use as amended Not listed.

Directive 2004/37/EC: on the protection of workers from the risks related to exposure to carcinogens and mutagens at work

Not regulated.

Other EU regulations

 Directive 2012/18/EU on major accident hazards involving dangerous substances, as amended

 Not listed.

 Other regulations
 All chemical substances in this HP product have been notified or are exempt from notification under chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South Korea, New Zealand, and China.

 Other information
 This Safety Data Sheet complies with the requirements of Regulation (EU) 2015/830. Classification according to Regulation (EC) No 1272/2008 as amended.

Material name: CF259A-X-XC

SECTION 16: Other information

SECTION 16: Other Inform	nation	
References	Regulation (EC) No. 1907/2006 of December 18, 2006 concerning the Registration, Evaluation, Authorization and Restriction of Chemicals (REACH) and establishing a European Chemicals Agency (REACH).	
	Regulation (EU) 2015/830 of May 28, 2015 amending Regulation (EC) No. 1907/2006.	
	Regulation (EC) No. 1272/2008 of December 16, 2008 on classification, labeling and packaging of substances and mixtures, and amendments (CLP).	
Information on evaluation method leading to the classification of mixture	The classification for health and environmental hazards is derived by a combination of calculation methods and test data, if available.	
Full text of any H-statements not written out in full under Sections 2 to 15	None.	
Revision information	None.	
Training information	Follow training instructions when handling this material.	
Disclaimer	This Safety Data Sheet document is provided without charge to customers of HP. Data is the most current known to HP at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other countries.	
	This safety data sheet is meant to convey information about HP inks (toners) provided in HP Original ink (toner) supplies. If our Safety Data Sheet has been provided to you with a refilled, remanufactured, compatible or other non-HP Original supply please be aware that the information contained herein was not meant to convey information about such products and there could be considerable differences from information in this document and the safety information for the product you purchased. Please contact the seller of the refilled, remanufactured or compatible supplies for applicable information, including information on personal protective equipment, exposure risks and safe handling guidance. HP does not accept refilled, remanufactured or compatible supplies in our recycling programs.	
Explanation of abbreviations		
ACGIH	American Conference of Governmental Industrial Hygienists	
CAS	Chemical Abstracts Service	
CERCLA	Comprehensive Environmental Response Compensation and Liability Act	
CFR	Code of Federal Regulations	
COC	Cleveland Open Cup	
DOT	Department of Transportation	
EPCRA	Emergency Planning and Community Right-to-Know Act (aka SARA)	
IARC	International Agency for Research on Cancer	
NIOSH	National Institute for Occupational Safety and Health	
NTP	National Toxicology Program	
OSHA	Occupational Safety and Health Administration	

PELPermissible Exposure LimitRCRAResource Conservation and Recovery ActRECRecommendedRELRecommended Exposure LimitSARASuperfund Amendments and Reauthorization Act of 1986STELShort-Term Exposure LimitTCLPToxicity Characteristics Leaching ProcedureTLVThreshold Limit ValueTSCAToxic Substances Control ActVOCVolatile Organic Compounds	OSHA	Occupational Safety and Health Administration
RECRecommendedRELRecommended Exposure LimitSARASuperfund Amendments and Reauthorization Act of 1986STELShort-Term Exposure LimitTCLPToxicity Characteristics Leaching ProcedureTLVThreshold Limit ValueTSCAToxic Substances Control Act	PEL	Permissible Exposure Limit
RELRecommended Exposure LimitSARASuperfund Amendments and Reauthorization Act of 1986STELShort-Term Exposure LimitTCLPToxicity Characteristics Leaching ProcedureTLVThreshold Limit ValueTSCAToxic Substances Control Act	RCRA	Resource Conservation and Recovery Act
SARASuperfund Amendments and Reauthorization Act of 1986STELShort-Term Exposure LimitTCLPToxicity Characteristics Leaching ProcedureTLVThreshold Limit ValueTSCAToxic Substances Control Act	REC	Recommended
STELShort-Term Exposure LimitTCLPToxicity Characteristics Leaching ProcedureTLVThreshold Limit ValueTSCAToxic Substances Control Act	REL	Recommended Exposure Limit
TCLPToxicity Characteristics Leaching ProcedureTLVThreshold Limit ValueTSCAToxic Substances Control Act	SARA	Superfund Amendments and Reauthorization Act of 1986
TLV Threshold Limit Value TSCA Toxic Substances Control Act	STEL	Short-Term Exposure Limit
TSCA Toxic Substances Control Act	TCLP	Toxicity Characteristics Leaching Procedure
	TLV	Threshold Limit Value
VOC Volatile Organic Compounds	TSCA	Toxic Substances Control Act
	VOC	Volatile Organic Compounds