

## **Febreze - Cotton Fresh**

Safety Data Sheet according to Regulation (EC) No. 453/2010

Revision date:

Date of issue: 24/07/2014

Version: 1.01

:

Dati	e of issue: 24/07/2014 Revision date: : Version: 1.01
SECTION 1: Identification of the	substance/mixture and of the company/undertaking
1.1. Product identifier	
Product form Trade name Product code Product group	: Mixture : Febreze - Cotton Fresh - (EMEA 2014 One-Shot compl.) : PA00190993 : Trade product
1.2. Relevant identified uses of the	substance or mixture and uses advised against
<ul> <li>1.2.1. Relevant identified uses</li> <li>Intended for general public</li> <li>Main use category</li> <li>Function or use category</li> <li>1.2.2. Uses advised against</li> <li>No additional information available</li> </ul>	<ul> <li>Consumer uses: Private households (= general public = consumers)</li> <li>Air care products</li> </ul>
1.3. Details of the supplier of the sa	fety data sheet
Procter & Gamble UK Brooklands, Weybrid Tel: 01932 896000 Fax: 01932 896200 Retail : sds.im@pg.com Professional : info.uk@pg.com 1.4. Emergency telephone number Emergency number	ge, Surrey, KT13 0XP, UK : (UK) Emergency Tel: 0800 328 8304 (IRL) Emergency Tel: 1800 509 497
SECTION 2: Hazards identification 2.1. Classification of the substance	
Classification according to Regulation (E Aerosol 3 H229 Full text of H-phrases: see section 16 Classification according to Directive 67/5 Not classified	
Adverse physicochemical, human health No additional information available	and environmental effects
2.2. Label elements	
Labelling according to Regulation (EC) N Signal word (CLP) Hazard statements (CLP) Precautionary statements (CLP)	<ul> <li>Warning</li> <li>H229 - Pressurised container: May burst if heated</li> <li>P102 - Keep out of reach of children P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking P251 - Do not pierce or burn, even after use P410+P412 - Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing P501 - Dispose of contents/container to an appropriate local waste system Avoid contact with skin. Avoid contact with eyes.</li> </ul>
EUH phrases	: EUH208 - Contains Benzisothiazolinone. May produce an allergic reaction
2.3. Other hazards	
Other hazards not contributing to the classification	: No presence of PBT and vPvB ingredients.
SECTION 3: Composition/inform 3.1. Substance	ation on ingredients
Notapplicable	

Not applicable

Safety Data Sheet according to Regulation (EC) No. 453/2010

3.2.	Mixture				
Name		Product identifier	%	Classification according to Directive 67/548/EEC	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Alcohol		(CAS No) 64-17-5 (EC no) 200-578-6 (EC index no) 603-002-00-5 (REACH-no) 01-2119457610-43	1 - 5	F; R11	Flam. Liq. 2, H225

Full text of R- and H-phrases: see section 16

SECTION 4: First aid measures	
4.1. Description of first aid measures	IF INDALED and a faile to face to be addressed to an other the second face of the face beautifue to the second
First-aid measures after inhalation	<ul> <li>IF INHALED: remove victim to fresh air and keep at rest in a position comfortable for breathing. Immediately call a POISON CENTER or doctor/physician.</li> </ul>
First-aid measures after skin contact	: Take off contaminated clothing and wash before reuse. IF ON SKIN: Wash with plenty of soap and water. If skin irritation occurs: Get medical advice/attention. Get medical advice/attention. Discontinue use of product.
First-aid measures after eye contact	: Immediately call a POISON CENTER or doctor/physician. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
First-aid measures after ingestion	: Immediately call a POISON CENTER or doctor/physician. IF SWALLOWED: rinse mouth. Do NOT induce vomiting.
4.2. Most important symptoms and effe	ects, both acute and delayed
Symptoms/injuries after inhalation	: Coughing. sneezing. Headache. Drowsiness. Dizziness.
Symptoms/injuries after skin contact	: Redness. Swelling. dryness. Itching.
Symptoms/injuries after eye contact	: Severe pain. Redness. Swelling. Blurred vision.
Symptoms/injuries after ingestion	: Oral mucosal or gastro-intestinal irritation. Nausea. Vomiting. Excessive secretion. Diarrhea.
	al attention and encoded
Refer to section 4.1.	al attention and special treatment needed
SECTION 5: Firefighting measures	
5.1. Extinguishing media	
Suitable extinguishing media	: Dry chemical powder, alcohol-resistant foam, carbon dioxide (CO2).
Unsuitable extinguishing media	: Solid water jet ineffective as extinguishing medium.
5.2. Special hazards arising from the s	
Fire hazard	: No fire hazard. Non combustible.
Explosion hazard	: Product is not explosive.
Reactivity	: No dangerous reactions known.
5.3. Advice for firefighters	
Firefighting instructions	: No specific firefighting instructions required.
Protection during firefighting	: In case of inadequate ventilation wear respiratory protection.
<b>SECTION 6: Accidental release mea</b>	asures
6.1. Personal precautions, protective e	quipment and emergency procedures
6.1.1. For non-emergency personnel	
Protective equipment	: Wear suitable gloves and eye/face protection.
6.1.2. For emergency responders	
Protective equipment	: Wear suitable gloves and eye/face protection.
6.2. Environmental precautions	
Prevent soil and water pollution. Prevent sprea	ding in sewers.
	-
6.3. Methods and material for containing	
For containment	: Scoop absorbed substance into closing containers.
Methods for cleaning up	: Small quantities of liquid spill: take up in non-combustible absorbent material and shovel into container for disposal. Large spills: contain released substance, pump into suitable containers. This material and its container must be disposed of in a safe way, and as per local legislation.
6.4. Reference to other sections	
Defer to Sections 9 and 12	

Refer to Sections 8 and 13.

Safety Data Sheet according to Regulation (EC) No. 453/2010

<b>SECTION 7: Handling and stor</b>	rage
7.1. Precautions for safe handlin	g
Precautions for safe handling	: Avoid contact with eyes. Avoid contact with skin. Use personal protective equipment as required. Do not eat, drink or smoke when using this product. Do not handle until all safety precautions have been read and understood. Air Fresheners do not replace good hygiene practices. People suffering from perfume sensitivity should be cautious when using this product.
7.2. Conditions for safe storage,	including any incompatibilities
Storage conditions	: Store in original container. Refer to section 10.
Incompatible products	: Refer to section 10.
Incompatible materials	: Not applicable.
Prohibitions on mixed storage	: Not applicable.
Storage area	: Store in a cool area. Store in a dry area.
7.3. Specific end use(s)	
Air Freshener non-aerosol.	

#### SECTION 8: Exposure controls/personal protection

8.1. **Control parameters** 

Alcohol (64-17-5)		
DNEL/DMEL (Workers)		
Acute - local effects, inhalation	1900 mg/m <sup>3</sup>	
Long-term - systemic effects, dermal	343 mg/kg bodyweight/day	
Long-term - systemic effects, inhalation	950 mg/m³	
DNEL/DMEL (General population)		
Acute - local effects, inhalation	950 mg/m³	
Long-term - systemic effects,oral	87 mg/kg bodyweight/day	
Long-term - systemic effects, inhalation	114 mg/m³	
Long-term - systemic effects, dermal	206 mg/kg bodyweight/day	
PNEC (Water)		
PNEC aqua (freshwater)	0.96 mg/l	
PNEC aqua (marine water)	0.79 mg/l	
PNEC aqua (intermittent, freshwater)	580 mg/l	
PNEC (Sediment)		
PNEC sediment (freshwater)	3.6 mg/kg dwt	
PNEC sediment (marine water)	2.9 mg/kg dwt	
PNEC (Soil)		
PNEC soil	0.63 mg/kg dwt	
PNEC (STP)		
PNEC sewage treatment plant	580 mg/l	
3.2. Exposure controls		

Eye protection	: Not applicable.
Skin and body protection	: Not applicable.
Respiratory protection	: Not applicable.
Thermal hazard protection	: Not applicable.

SECTION 9: Physical and chemica	l properties
9.1. Information on basic physical and	d chemical properties
Physical state	: Liquid
Appearance	: Liquid.
Colour	: clear.
Odour	: pleasant (perfume).
Odour threshold	: No data available
рН	: 5.8
Relative evaporation rate (butylacetate=1)	: Not measured.
Melting point	: Not measured.
Freezing point	: No data available
Boiling point	: No data available
Flash point	: 52 - 60 °C

# Febreze - Cotton Fresh - (EMEA 2014 One-Shot compl.) Safety Data Sheet

Auto-ignition temperature	: No data available
Decomposition temperature	: Not measured.
Flammability (solid, gas)	: Not flammable
Vapour pressure	: No data available
Relative vapour density at 20 °C	: Not measured.
Relative density	: No data available
Density	: 0.993 g/ml
Solubility	: Not soluble in water.
Log Pow	: No data available
Log Kow	: No data available
Viscosity	: 2.5 - 3.5 cP
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: Product is not explosive
9.2. Other information	
No additional information available	
SECTION 10: Stability and reactivi	ity
10.1. Reactivity	
No dangerous reactions known.	
10.2. Chemical stability	
Stable under normal conditions.	
10.3. Possibility of hazardous reaction	
	15
Refer to section 10.1 on Reactivity.	
10.4. Conditions to avoid	
Protect from sunlight. Do not expose to tempe	eratures exceeding 50 °C.
10.5. Incompatible materials	
Not applicable.	
10.6. Hazardous decomposition produ	icts
None under normal use.	
SECTION 11: Toxicological inform	nation
SECTION 11: Toxicological inform	
SECTION 11: Toxicological inform 11.1. Information on toxicological effect	
SECTION 11: Toxicological inform 11.1. Information on toxicological effect Acute toxicity	cts : Not classified
SECTION 11: Toxicological inform	cts : Not classified -Shot compl.)
SECTION 11: Toxicological inform 11.1. Information on toxicological effect Acute toxicity Mistral - Cotton Fresh - (EMEA 2014 One- LD50 oral calculated	cts : Not classified
SECTION 11: Toxicological inform 11.1. Information on toxicological effect Acute toxicity Mistral - Cotton Fresh - (EMEA 2014 One- LD50 oral calculated Alcohol (64-17-5)	cts : Not classified -Shot compl.) > 2000 mg/kg
SECTION 11: Toxicological inform 11.1. Information on toxicological effect Acute toxicity Mistral - Cotton Fresh - (EMEA 2014 One- LD50 oral calculated Alcohol (64-17-5) LD50 oral calculated	cts         : Not classified         -Shot compl.)         > 2000 mg/kg         10470 mg/kg OECD 301 B
SECTION 11: Toxicological inform 11.1. Information on toxicological effect Acute toxicity Mistral - Cotton Fresh - (EMEA 2014 One- LD50 oral calculated Alcohol (64-17-5) LD50 oral calculated LD50 dermal rat	cts         : Not classified         -Shot compl.)         > 2000 mg/kg         I0470 mg/kg OECD 301 B         15800 mg/kg
SECTION 11: Toxicological inform 11.1. Information on toxicological effect Acute toxicity Mistral - Cotton Fresh - (EMEA 2014 One- LD50 oral calculated Alcohol (64-17-5) LD50 oral calculated LD50 dermal rat LC50 inhalation rat (mg/l)	cts         : Not classified         -Shot compl.)         > 2000 mg/kg         10470 mg/kg OECD 301 B         15800 mg/kg         117 mg/l/4h OECD 403
SECTION 11: Toxicological inform 11.1. Information on toxicological effect Acute toxicity Mistral - Cotton Fresh - (EMEA 2014 One- LD50 oral calculated Alcohol (64-17-5) LD50 oral calculated LD50 dermal rat LC50 inhalation rat (mg/l) ATE CLP (oral)	cts         : Not classified         -Shot compl.)         > 2000 mg/kg         10470 mg/kg OECD 301 B         15800 mg/kg         117 mg/l/4h OECD 403         10470 mg/kg bodyweight
SECTION 11: Toxicological inform 11.1. Information on toxicological effect Acute toxicity Mistral - Cotton Fresh - (EMEA 2014 One- LD50 oral calculated Alcohol (64-17-5) LD50 oral calculated LD50 dermal rat LC50 inhalation rat (mg/l)	cts         : Not classified         -Shot compl.)         > 2000 mg/kg         10470 mg/kg OECD 301 B         15800 mg/kg         117 mg/l/4h OECD 403         10470 mg/kg bodyweight         15800 mg/kg bodyweight
SECTION 11: Toxicological inform 11.1. Information on toxicological effect Acute toxicity Mistral - Cotton Fresh - (EMEA 2014 One- LD50 oral calculated Alcohol (64-17-5) LD50 oral calculated LD50 dermal rat LC50 inhalation rat (mg/l) ATE CLP (oral) ATE CLP (dermal)	cts         : Not classified         -Shot compl.)         > 2000 mg/kg         10470 mg/kg OECD 301 B         15800 mg/kg         117 mg/l/4h OECD 403         10470 mg/kg bodyweight
SECTION 11: Toxicological inform 11.1. Information on toxicological effect Acute toxicity Mistral - Cotton Fresh - (EMEA 2014 One- LD50 oral calculated Alcohol (64-17-5) LD50 oral calculated LD50 dermal rat LC50 inhalation rat (mg/l) ATE CLP (oral) ATE CLP (dermal) ATE CLP (vapours) ATE CLP (dust,mist)	cts         : Not classified         -Shot compl.)         > 2000 mg/kg         10470 mg/kg OECD 301 B         15800 mg/kg         117 mg/l/4h OECD 403         10470 mg/kg bodyweight         15800 mg/kg bodyweight         117.000 mg/l/4h         117.000 mg/l/4h
SECTION 11: Toxicological inform 11.1. Information on toxicological effect Acute toxicity Mistral - Cotton Fresh - (EMEA 2014 One- LD50 oral calculated Alcohol (64-17-5) LD50 oral calculated LD50 dermal rat LC50 inhalation rat (mg/l) ATE CLP (oral) ATE CLP (dermal) ATE CLP (vapours) ATE CLP (dust,mist)	cts         : Not classified         -Shot compl.)         > 2000 mg/kg         10470 mg/kg OECD 301 B         15800 mg/kg         117 mg/l/4h OECD 403         10470 mg/kg bodyweight         15800 mg/kg bodyweight         15800 mg/kg bodyweight         117.000 mg/l/4h         117.000 mg/l/4h         : Not classified
SECTION 11: Toxicological inform 11.1. Information on toxicological effect Acute toxicity Mistral - Cotton Fresh - (EMEA 2014 One- LD50 oral calculated Alcohol (64-17-5) LD50 oral calculated LD50 dermal rat LC50 inhalation rat (mg/l) ATE CLP (oral) ATE CLP (dermal) ATE CLP (dermal) ATE CLP (dust,mist) Skin corrosion/irritation	cts         : Not classified         -Shot compl.)         > 2000 mg/kg         10470 mg/kg OECD 301 B         15800 mg/kg         117 mg/l/4h OECD 403         10470 mg/kg bodyweight         15800 mg/kg bodyweight         15800 mg/kg bodyweight         117.000 mg/l/4h         117.000 mg/l/4h         : Not classified         pH: 5.8
SECTION 11: Toxicological inform 11.1. Information on toxicological effect Acute toxicity Mistral - Cotton Fresh - (EMEA 2014 One- LD50 oral calculated Alcohol (64-17-5) LD50 oral calculated LD50 dermal rat LC50 inhalation rat (mg/l) ATE CLP (oral) ATE CLP (dermal) ATE CLP (dermal) ATE CLP (dust,mist) Skin corrosion/irritation	cts         : Not classified         -Shot compl.)         > 2000 mg/kg         10470 mg/kg OECD 301 B         15800 mg/kg         117 mg/l/4h OECD 403         10470 mg/kg bodyweight         15800 mg/kg bodyweight         15800 mg/kg bodyweight         117.000 mg/l/4h         117.000 mg/l/4h         : Not classified         pH: 5.8         : Not classified
SECTION 11: Toxicological inform 11.1. Information on toxicological effect Acute toxicity Mistral - Cotton Fresh - (EMEA 2014 One- LD50 oral calculated Alcohol (64-17-5) LD50 oral calculated LD50 dermal rat LC50 inhalation rat (mg/l) ATE CLP (oral) ATE CLP (dermal) ATE CLP (dermal) ATE CLP (dust,mist) Skin corrosion/irritation Serious eye damage/irritation	cts         : Not classified         -Shot compl.)         > 2000 mg/kg         10470 mg/kg OECD 301 B         15800 mg/kg         117 mg/l/4h OECD 403         10470 mg/kg bodyweight         15800 mg/kg bodyweight         15800 mg/kg bodyweight         117.000 mg/l/4h         117.000 mg/l/4h         : Not classified         pH: 5.8         : Not classified         pH: 5.8
SECTION 11: Toxicological inform 11.1. Information on toxicological effect Acute toxicity Mistral - Cotton Fresh - (EMEA 2014 One- LD50 oral calculated Alcohol (64-17-5) LD50 oral calculated LD50 dermal rat LC50 inhalation rat (mg/l) ATE CLP (oral) ATE CLP (dermal) ATE CLP (dermal) ATE CLP (dust,mist) Skin corrosion/irritation Serious eye damage/irritation Respiratory or skin sensitisation	cts         : Not classified         -Shot compl.)         > 2000 mg/kg         10470 mg/kg OECD 301 B         15800 mg/kg         117 mg/l/4h OECD 403         10470 mg/kg bodyweight         15800 mg/kg bodyweight         15800 mg/kg bodyweight         117.000 mg/l/4h         117.000 mg/l/4h         : Not classified         pH: 5.8         : Not classified
SECTION 11: Toxicological inform 11.1. Information on toxicological effect Acute toxicity Mistral - Cotton Fresh - (EMEA 2014 One- LD50 oral calculated Alcohol (64-17-5) LD50 oral calculated LD50 dermal rat LC50 inhalation rat (mg/l) ATE CLP (oral) ATE CLP (dermal) ATE CLP (dermal) ATE CLP (dust,mist) Skin corrosion/irritation Serious eye damage/irritation Respiratory or skin sensitisation Germ cell mutagenicity	cts         : Not classified         -Shot compl.)         > 2000 mg/kg         10470 mg/kg OECD 301 B         15800 mg/kg         117 mg/l/4h OECD 403         10470 mg/kg bodyweight         15800 mg/kg bodyweight         15800 mg/l/4h         117.000 mg/l/4h         117.000 mg/l/4h         : Not classified         pH: 5.8         : Not classified
SECTION 11: Toxicological inform 11.1. Information on toxicological effect Acute toxicity Mistral - Cotton Fresh - (EMEA 2014 One- LD50 oral calculated Alcohol (64-17-5) LD50 oral calculated LD50 dermal rat LC50 inhalation rat (mg/l) ATE CLP (oral) ATE CLP (dermal) ATE CLP (vapours)	cts         : Not classified         -Shot compl.)         > 2000 mg/kg         10470 mg/kg OECD 301 B         15800 mg/kg         117 mg//4h OECD 403         10470 mg/kg bodyweight         15800 mg/kg bodyweight         15800 mg/kg bodyweight         117.000 mg/l/4h         117.000 mg/l/4h         : Not classified         pH: 5.8         : Not classified

Safety Data Sheet

according to Regulation (EC) No. 453/2010

Aspiration hazard	:	Not classified
Potential Adverse human health effects and symptoms	:	Acute Toxicity: based upon available data of the substances, classification criteria are not met. Carcinogenicity: based upon available data of the substances, classification criteria are not met. Corrosivity: based upon available data of the substances, classification criteria are not met. Irritation: moderately irritating to eyes. Mutagenicity: based upon available data of the substances, classification criteria are not met. Repeated Dose Toxicity: based upon available data of the substances, classification criteria are not met. Toxicity for Reproduction: based upon available data of the substances, classification criteria are not met. Irritation: moderately irritating to skin. Sensitization: May cause sensitization by skin contact.
Other information	:	Likely routes of exposure: inhalation, skin and eye. Information on Effects: refer to section 4.

### SECTION 12: Ecological information

12.1. Toxicity Ecology - general

: Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Alcohol (64-17-5)		
LC50 fishes 1	15300 mg/l Pimephales promelas	
LC50 other aquatic organisms 1	590 mg/l Spirostomum ambiguum	
EC50 Daphnia 1	5012 mg/l Ceriodaphnia dubia	
LC50 other aquatic organisms 2	4432 mg/l	
ErC50 (algae)	275 mg/l OECD 201, Chlorella vulgaris	
NOEC chronic fish	245 mg/l	
NOEC chronic crustacea	9.6 mg/l Daphnia magna	

#### 12.2. Persistence and degradability

Alcohol (64-17-5)	
Persistence and degradability	The substance is biodegradable. Unlikely to persist.
BOD (% of ThOD)	74 % ThOD

#### 12.3. Bioaccumulative potential

Alcohol (64-17-5)	
Bioconcentration factor (BCF REACH)	1
Log Pow	-0.35 24 C, pH 7
Bioaccumulative potential	Not expected to bioaccumulate due to the low log Kow (log Kow < 4).

#### 12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment		
Mistral - Cotton Fresh - (EMEA 2014 One-Shot compl.)		
Results of PBT assessment	No presence of PBT and vPvB ingredients	
Component		
Alcohol (64-17-5)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII	

#### 12.6. Other adverse effects

No additional information available

SECTION 13: Disposal considerations		
13.1. Waste treatment methods		
Regional legislation (waste)	: Disposal must be done according to official regulations.	
Waste disposal recommendations	: The waste codes/waste designations below are in accordance with EWC. Waste must be delivered to an approved waste disposal company. The waste is to be kept separate from other types of waste until its disposal. Do not throw waste product into the sewer.	
EURAL Waste code product	: 16 05 04* - gases in pressure containers (including halons) containing dangerous substances	
SECTION 14: Transport informatio	n	

14.1. UN number	
UN-No	: 1950
UN-No. (ICAO)	: 1950
14.2. UN proper shipping name	
Proper Shipping Name	: AEROSOLS
Transport document description	: UN 1950 AEROSOLS, 2.2, (E)

Safety Data Sheet according to Regulation (EC) No. 453/2010

14.3. Transport hazard class(es)	
14.3. Transport hazard class(es) Class (UN)	: 2
	: 2 - Gases
Class (ICAO)	
Hazard labels (UN)	: 2.2
	2
14.4. Packing group	
Not applicable	
14.5. Environmental hazards	
Other information	: No supplementary information available.
14.6. Special precautions for user	
Special transport precautions	: No additional information available.
14.6.1. Overland transport	
State during transport (ADR-RID)	: as liquid
Classification code (UN)	: 5A
Special provisions (ADR)	: 190, 327, 344, 625
Transport category (ADR)	: 3
Tunnel restriction code	: E
Limited quantities (ADR)	: 1L
Excepted quantities (ADR)	: E0
14.6.2. Transport by sea	
Transport regulations (IMDG)	: No additional information available
14.6.3. Air transport	
No additional information available	
14.7. Transport in bulk according to	Annex II of MARPOL 73/78 and the IBC Code
IBC code	: Not applicable.
SECTION 15: Regulatory information	ation
15.1. Safety, health and environment	tal regulations/legislation specific for the substance or mixture
15.1.1. EU-Regulations	
No REACH Annex XVII restrictions	
Contains no REACH candidate substance	
15.1.2. National regulations	
No additional information available	
15.2. Chemical safety assessment	
SECTION 16: Other information	
Data sources	: On basis of test data. Expert judgment.
Training advice	: Normal use of this product shall imply use in accordance with the instructions on the packaging
Salts listed in Section 3 without a REACh R	Registration number are exempt, based on Annex V

#### Full text of R-, H- and EUH-phrases:

Aerosol 3	Aerosol, Category 3
Flam. Liq. 2	Flammable liquids, Category 2
H225	Highly flammable liquid and vapour
H229	Pressurised container: May burst if heated
R11	Highly flammable
F	Highly flammable

#### SDS P&G CLP

Safety Data Sheet according to Regulation (EC) No. 453/2010

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product